


SKT-156H-CSK03

15.6 inch Open-Frame Touch Monitor

Project Capacitive Touch screens 10 touch points



SKT-156 Serials Model Definitions

SKT-156H-CSK03	Projected capacitive (PCAP) Touch Screen	VGA/DVI/HDMI	Plastic Bezel+Metal Chassis
----------------	--	--------------	-----------------------------

Seleniko 03, S.L.

PUBLISHED DATE:2020-06-01

www.seleniko.com

Open Frame Touch Monitor Parameters

General	
Model	SKT-156H-CSK03
Series	Water-proof and Open frame
Monitor Dimensions	Width: 383.18mm Height: 249.19mm Depth: 47.5mm
LCD Type	15.6" Active matrix TFT-LCD
Video Input	VGA ,DVI and HDMI
OSD controls	Allow on-screen adjustments of Brightness, Contrast Ratio, Auto-adjust, Phase, Clock, H/V Location, Languages, Function, Reset
Power Supply	Type: External brick Input (line) voltage: 100-240 VAC, 50-60 Hz Output voltage/current: 12 volts at 4 amps max
Mount Interface	1)VESA 75mm and 100mm 2)Mount bracket, horizontal or vertical
LCD Specification	
Active Area(mm)	343.7 (H) x 193 (V)
Resolution	1920(RGB)×1080, FHD
Dot Pitch(mm)	0.252 (H) x 0.252 (V)
Nominal Input Voltage VDD	+4V(Max)
Viewing angle (v/h)	85/85/85/85(CR>10)
Contrast	800:1 (Typ.) (TM)
Luminance(cd/m2)	250
Response Time(Rising)	30 (Typ.)(Tr+Td)
Support Color	262K 45% NTSC
Backlight MTBF(hr)	15000(Min)
Touchscreen Specification	
Type	Projected Capacitive touch screen
Multi touch	10points touch
Touch Life Cycle	10 millions
Touch Response time	8ms
Touch System Interface	USB interface
Power consumption	+5V@80mA
External AC Power Adapter	
Output	DC 12V /4A
Input	100-240 VAC, 50-60 Hz
MTBF	50000 hr at 25°C
Environment	
Operating Temp.	0 ~ 50 °C
Storage Temp.	-20 ~ 60 °C
Operating RH:	20%~80%
Storage RH:	10%~90%

Components

USB Cable 180cm*1 Pcs,

VGA Cable 180cm*1 Pcs,

Power Cord with Switching Adapter *1 Pcs,



Intended usage

Monitor capable of directly connecting to and designed for use with an automatic data processing machine of heading 8471 (HS-CODE: 8528521000).

Application

Product is intended only for OEM (Original Equipment Manufacturer) application.

Product used for application on industrial control gaming, transportation, finance, retail...

Mechanical Drawing

